

| RMIG<br>Tuote no.                      | Leveys<br>mm | Pituus<br>mm | Vahvuus<br>mm | Kuvio no. | Reikämuoto<br>ja koko mm | Jaon muoto<br>ja koko | Avoin<br>ala % | Paino<br>kg/kpl |  |  |  |  |  |  |  |
|--|--------------|--------------|---------------|-----------|--------------------------|-----------------------|----------------|-----------------|--|--|--|--|--|--|--|
| <b>Teräs DC01/DD11- Pyöreät reijät</b> |              |              |               |           |                          |                       |                |                 |  |  |  |  |  |  |  |
| SME0050                                | 1000         | 2000         | 0,50          | 705-020   | R 0,5                    | T 1,09                | 19 %           | 6,5             |  |  |  |  |  |  |  |
| SMGE0080                               | 1000         | 2000         | 0,75          | 707-001   | R 0,75                   | T 1,5                 | 23 %           | 9,3             |  |  |  |  |  |  |  |
| SME0100                                | 1000         | 2000         | 0,50          | 710-000   | R 1,0                    | T 2,0                 | 23 %           | 6,2             |  |  |  |  |  |  |  |
| SMGE0100                               | 1000         | 2000         | 0,75          | 710-000   | R 1,0                    | T 2,0                 | 23 %           | 9,3             |  |  |  |  |  |  |  |
| SMJ0100                                | 1000         | 2000         | 1,00          | 710-000   | R 1,0                    | T 2,0                 | 23 %           | 12,4            |  |  |  |  |  |  |  |
| SML0100                                | 1000         | 2000         | 1,50          | 710-000   | R 1,0                    | T 2,0                 | 23 %           | 16,4            |  |  |  |  |  |  |  |
| SMJ0101                                | 1250         | 2500         | 1,00          | 710-000   | R 1,0                    | T 2,0                 | 23 %           | 19,3            |  |  |  |  |  |  |  |
| SML0190                                | 1000         | 2000         | 1,50          | R1.1T2    | R 1,1                    | T 2,0                 | 27 %           | 23,4            |  |  |  |  |  |  |  |
| SMGE0130                               | 1000         | 2000         | 0,75          | 712-008   | R 1,25                   | T 2,4                 | 25 %           | 9,1             |  |  |  |  |  |  |  |
| SMJ0130                                | 1000         | 2000         | 1,00          | 712-008   | R 1,25                   | T 2,4                 | 25 %           | 12,1            |  |  |  |  |  |  |  |
| SML0130                                | 1000         | 2000         | 1,50          | R1.25T2.4 | R 1,25                   | T 2,4                 | 24 %           | 15,8            |  |  |  |  |  |  |  |
| SMGE0150                               | 1000         | 2000         | 0,75          | 715-000   | R 1,5                    | T 2,6                 | 30 %           | 8,4             |  |  |  |  |  |  |  |
| SMJ0150                                | 1000         | 2000         | 1,00          | 715-000   | R 1,5                    | T 2,6                 | 30 %           | 11,2            |  |  |  |  |  |  |  |
| SMJ0170                                | 1000         | 2000         | 1,00          | 715-001   | R 1,5                    | T 3,0                 | 23 %           | 12,4            |  |  |  |  |  |  |  |
| SML0170                                | 1000         | 2000         | 1,50          | R1.5T3    | R 1,5                    | T 3,0                 | 23 %           | 24,5            |  |  |  |  |  |  |  |
| SML0170                                | 1000         | 2000         | 1,50          | 715-001   | R 1,5                    | T 3,0                 | 23 %           | 18,7            |  |  |  |  |  |  |  |
| SMJ0171                                | 1250         | 2500         | 1,00          | 715-001   | R 1,5                    | T 3,0                 | 23 %           | 19,3            |  |  |  |  |  |  |  |
| SML0180                                | 1000         | 2000         | 1,50          | 717-001   | R 1,75                   | T 3,0                 | 31 %           | 16,7            |  |  |  |  |  |  |  |
| SMJ0220                                | 1000         | 2000         | 1,00          | 720-002   | R 2,0                    | T 3,0                 | 40 %           | 9,6             |  |  |  |  |  |  |  |
| SML0220                                | 1000         | 2000         | 1,50          | 720-002   | R 2,0                    | T 3,0                 | 40 %           | 14,3            |  |  |  |  |  |  |  |
| SME0200                                | 1000         | 2000         | 0,50          | 720-000   | R 2,0                    | T 3,5                 | 30 %           | 5,7             |  |  |  |  |  |  |  |
| SMGE0200                               | 1000         | 2000         | 0,75          | 720-000   | R 2,0                    | T 3,5                 | 30 %           | 8,5             |  |  |  |  |  |  |  |
| SMJ0200                                | 1000         | 2000         | 1,00          | 720-000   | R 2,0                    | T 3,5                 | 30 %           | 11,3            |  |  |  |  |  |  |  |
| SMJ0201                                | 1250         | 2500         | 1,00          | 720-000   | R 2,0                    | T 3,5                 | 30 %           | 17,6            |  |  |  |  |  |  |  |
| SHL0200                                | 1000         | 2000         | 1,50          | 720-000   | R 2,0                    | T 3,5                 | 30 %           | 17,0            |  |  |  |  |  |  |  |
| SHL0201                                | 1250         | 2500         | 1,50          | 720-000   | R 2,0                    | T 3,5                 | 30 %           | 26,4            |  |  |  |  |  |  |  |
| SMP0200                                | 1000         | 2000         | 2,00          | 720-000   | R 2,0                    | T 3,5                 | 30 %           | 22,7            |  |  |  |  |  |  |  |
| SMP0201                                | 1250         | 2500         | 2,00          | 720-000   | R 2,0                    | T 3,5                 | 30 %           | 35,0            |  |  |  |  |  |  |  |
| SMQ0200                                | 1000         | 2000         | 2,50          | R2T3.5    | R 2,0                    | T 3,5                 | 30 %           | 35,2            |  |  |  |  |  |  |  |
| SMJ0210                                | 1000         | 2000         | 1,00          | 720-001   | R 2,0                    | T 4,0                 | 23 %           | 12,3            |  |  |  |  |  |  |  |
| SMQ0210                                | 1000         | 2000         | 2,50          | 720-001   | R 2,0                    | T 4,0                 | 23 %           | 21,0            |  |  |  |  |  |  |  |
| SMJ0250                                | 1000         | 2000         | 1,00          | 725-002   | R 2,5                    | T 4,0                 | 36 %           | 10,4            |  |  |  |  |  |  |  |
| SHL0250                                | 1000         | 2000         | 1,50          | 725-002   | R 2,5                    | T 4,0                 | 36 %           | 15,6            |  |  |  |  |  |  |  |
| SHP0250                                | 1000         | 2000         | 2,00          | 725-002   | R 2,5                    | T 4,0                 | 36 %           | 20,8            |  |  |  |  |  |  |  |
| SMQ0252                                | 1500         | 3000         | 2,50          | 725-002   | R 2,5                    | T 4,0                 | 36 %           | 57,6            |  |  |  |  |  |  |  |
| SHP0280                                | 1000         | 2000         | 2,00          | 727-001   | R 2,75                   | T 4,5                 | 34 %           | 21,3            |  |  |  |  |  |  |  |
| SMJ0340                                | 1000         | 2000         | 1,00          | 730-006   | R 3,0                    | T 4,0                 | 51 %           | 7,8             |  |  |  |  |  |  |  |
| SML0340                                | 1000         | 2000         | 1,50          | 730-006   | R 3,0                    | T 4,0                 | 51 %           | 11,8            |  |  |  |  |  |  |  |
| SMR0340                                | 1000         | 2000         | 3,00          | 730-006   | R 3,0                    | T 4,0                 | 51 %           | 24,0            |  |  |  |  |  |  |  |
| SMR0342                                | 1500         | 3000         | 3,00          | 730-006   | R 3,0                    | T 4,0                 | 51 %           | 52,9            |  |  |  |  |  |  |  |
| SMR0312                                | 1500         | 3000         | 3,00          | 730-030   | R 3,0                    | T 4,5                 | 40 %           | 64,5            |  |  |  |  |  |  |  |
| SMGE0300                               | 1000         | 2000         | 0,75          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 8,0             |  |  |  |  |  |  |  |
| SMJ0300                                | 1000         | 2000         | 1,00          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 10,9            |  |  |  |  |  |  |  |
| SMJ0301                                | 1250         | 2500         | 1,00          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 17,0            |  |  |  |  |  |  |  |
| SMJ0302                                | 1500         | 3000         | 1,00          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 24,2            |  |  |  |  |  |  |  |
| SHL0300                                | 1000         | 2000         | 1,50          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 16,3            |  |  |  |  |  |  |  |
| SHL0301                                | 1250         | 2500         | 1,50          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 25,3            |  |  |  |  |  |  |  |
| SHL0302                                | 1500         | 3000         | 1,50          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 30,0            |  |  |  |  |  |  |  |
| SHP0300                                | 1000         | 2000         | 2,00          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 21,7            |  |  |  |  |  |  |  |
| SHP0301                                | 1250         | 2500         | 2,00          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 33,7            |  |  |  |  |  |  |  |
| SHP0302                                | 1500         | 3000         | 2,00          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 40,0            |  |  |  |  |  |  |  |
| SHR0300                                | 1000         | 2000         | 3,00          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 32,6            |  |  |  |  |  |  |  |
| SMR0301                                | 1250         | 2500         | 3,00          | 730-000   | R 3,0                    | T 5,0                 | 33 %           | 53,0            |  |  |  |  |  |  |  |
| SMJ0350                                | 1000         | 2000         | 1,00          | 735-001   | R 3,5                    | T 5,0                 | 44 %           | 9,0             |  |  |  |  |  |  |  |
| SHP0360                                | 1000         | 2000         | 2,00          | 735-000   | R 3,5                    | T 5,5                 | 37 %           | 20,5            |  |  |  |  |  |  |  |
| SHR0360                                | 1000         | 2000         | 3,00          | 735-000   | R 3,5                    | T 5,5                 | 37 %           | 30,7            |  |  |  |  |  |  |  |
| SMJ0420                                | 1000         | 2000         | 1,00          | 740-028   | R 4,0                    | T 5,0                 | 58 %           | 6,7             |  |  |  |  |  |  |  |
| SHL0420                                | 1000         | 2000         | 1,50          | 740-028   | R 4,0                    | T 5,0                 | 58 %           | 10,1            |  |  |  |  |  |  |  |
| SMJ0400                                | 1000         | 2000         | 1,00          | 740-000   | R 4,0                    | T 5,6                 | 46 %           | 8,7             |  |  |  |  |  |  |  |
| SMJ0410                                | 1000         | 2000         | 1,00          | 740-020   | R 4,0                    | T 6,0                 | 40 %           | 9,6             |  |  |  |  |  |  |  |
| SMJ0411                                | 1250         | 2500         | 1,00          | 740-020   | R 4,0                    | T 6,0                 | 40 %           | 14,9            |  |  |  |  |  |  |  |
| SHL0410                                | 1000         | 2000         | 1,50          | 740-020   | R 4,0                    | T 6,0                 | 40 %           | 14,5            |  |  |  |  |  |  |  |
| SHP0410                                | 1000         | 2000         | 2,00          | 740-020   | R 4,0                    | T 6,0                 | 40 %           | 19,3            |  |  |  |  |  |  |  |
| SHP0411                                | 1250         | 2500         | 2,00          | 740-020   | R 4,0                    | T 6,0                 | 40 %           | 29,8            |  |  |  |  |  |  |  |
| SHR0410                                | 1000         | 2000         | 3,00          | 740-020   | R 4,0                    | T 6,0                 | 40 %           | 29,0            |  |  |  |  |  |  |  |
| SMR0411                                | 1250         | 2500         | 3,00          | 740-020   | R 4,0                    | T 6,0                 | 40 %           | 45,0            |  |  |  |  |  |  |  |
| SHP0440                                | 1000         | 2000         | 2,00          | 740-003   | R 4,0                    | T 7,0                 | 30 %           | 22,5            |  |  |  |  |  |  |  |
| SHR0440                                | 1000         | 2000         | 3,00          | 740-003   | R 4,0                    | T 7,0                 | 30 %           | 33,8            |  |  |  |  |  |  |  |
| SHP0450                                | 1000         | 2000         | 2,00          | 745-000   | R 4,5                    | T 7,0                 | 38 %           | 20,2            |  |  |  |  |  |  |  |
| SMJ0500                                | 1000         | 2000         | 1,00          | 750-021   | R 5,0                    | T 6,5                 | 56 %           | 7,0             |  |  |  |  |  |  |  |
| SMJ0550                                | 1000         | 2000         | 1,00          | 750-013   | R 5,0                    | T 7,0                 | 46 %           | 8,6             |  |  |  |  |  |  |  |
| SHL0550                                | 1000         | 2000         | 1,50          | 750-013   | R 5,0                    | T 7,0                 | 46 %           | 12,9            |  |  |  |  |  |  |  |
| SMJ0510                                | 1000         | 2000         | 1,00          | 750-000   | R 5,0                    | T 7,5                 | 40 %           | 9,6             |  |  |  |  |  |  |  |
| SHL0510                                | 1000         | 2000         | 1,50          | 750-000   | R 5,0                    | T 7,5                 | 40 %           | 14,5            |  |  |  |  |  |  |  |
| SHL0511                                | 1250         | 2500         | 1,50          | 750-000   | R 5,0                    | T 7,5                 | 40 %           | 22,6            |  |  |  |  |  |  |  |
| SMR0512                                | 1500         | 3000         | 3,00          | 750-000   | R 5,0                    | T 7,5                 | 40 %           | 64,8            |  |  |  |  |  |  |  |
| SMJ0520                                | 1000         | 2000         | 1,00          | 750-002   | R 5,0                    | T 8,0                 | 35 %           | 10,4            |  |  |  |  |  |  |  |

|         |      |      |       |         |        |               |      |       |  |  |  |  |
|---------|------|------|-------|---------|--------|---------------|------|-------|--|--|--|--|
| SMJ0521 | 1250 | 2500 | 1,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 16,3  |  |  |  |  |
| SMJ0522 | 1500 | 3000 | 1,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 23,2  |  |  |  |  |
| SHL0520 | 1000 | 2000 | 1,50  | 750-002 | R 5,0  | T 8,0         | 35 % | 15,6  |  |  |  |  |
| SHL0521 | 1250 | 2500 | 1,50  | 750-002 | R 5,0  | T 8,0         | 35 % | 24,4  |  |  |  |  |
| SHL0522 | 1500 | 3000 | 1,50  | 750-002 | R 5,0  | T 8,0         | 35 % | 29,0  |  |  |  |  |
| SHP0520 | 1000 | 2000 | 2,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 20,8  |  |  |  |  |
| SHP0521 | 1250 | 2500 | 2,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 32,3  |  |  |  |  |
| SHP0522 | 1500 | 3000 | 2,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 46,5  |  |  |  |  |
| SHR0520 | 1000 | 2000 | 3,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 31,3  |  |  |  |  |
| SHR0521 | 1250 | 2500 | 3,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 48,4  |  |  |  |  |
| SHT0520 | 1000 | 2000 | 4,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 41,6  |  |  |  |  |
| SHU0520 | 1000 | 2000 | 5,00  | 750-002 | R 5,0  | T 8,0         | 35 % | 52,0  |  |  |  |  |
| SMJ0530 | 1000 | 2000 | 1,00  | 750-003 | R 5,0  | U 10,0 x 10,0 | 20 % | 12,8  |  |  |  |  |
| SHL0540 | 1000 | 2000 | 1,50  | 750-019 | R 5,0  | U 12,5 x 12,5 | 13 % | 21,1  |  |  |  |  |
| SMJ0600 | 1000 | 2000 | 1,00  | 760-000 | R 6,0  | T 8,0         | 51 % | 8,1   |  |  |  |  |
| SHL0600 | 1000 | 2000 | 1,50  | 760-000 | R 6,0  | T 8,0         | 51 % | 12,1  |  |  |  |  |
| SML0601 | 1250 | 2500 | 1,50  | 760-000 | R 6,0  | T 8,0         | 51 % | 18,4  |  |  |  |  |
| SHR0600 | 1000 | 2000 | 3,00  | 760-000 | R 6,0  | T 8,0         | 51 % | 32,7  |  |  |  |  |
| SMJ0610 | 1000 | 2000 | 1,00  | 760-020 | R 6,0  | T 9,0         | 40 % | 9,6   |  |  |  |  |
| SHL0610 | 1000 | 2000 | 1,50  | 760-020 | R 6,0  | T 9,0         | 40 % | 14,3  |  |  |  |  |
| SHL0611 | 1250 | 2500 | 1,50  | 760-020 | R 6,0  | T 9,0         | 40 % | 22,4  |  |  |  |  |
| SHP0610 | 1000 | 2000 | 2,00  | 760-020 | R 6,0  | T 9,0         | 40 % | 19,5  |  |  |  |  |
| SHP0611 | 1250 | 2500 | 2,00  | 760-020 | R 6,0  | T 9,0         | 40 % | 29,8  |  |  |  |  |
| SHR0610 | 1000 | 2000 | 3,00  | 760-020 | R 6,0  | T 9,0         | 40 % | 29,2  |  |  |  |  |
| SHR0611 | 1250 | 2500 | 3,00  | 760-020 | R 6,0  | T 9,0         | 40 % | 45,0  |  |  |  |  |
| SMR0612 | 1500 | 3000 | 3,00  | 760-020 | R 6,0  | T 9,0         | 40 % | 64,8  |  |  |  |  |
| SHT0610 | 1000 | 2000 | 4,00  | 760-020 | R 6,0  | T 9,0         | 40 % | 38,4  |  |  |  |  |
| SHU0610 | 1000 | 2000 | 5,00  | 760-020 | R 6,0  | T 9,0         | 40 % | 48,0  |  |  |  |  |
| SMJ0700 | 1000 | 2000 | 1,00  | 770-000 | R 7,0  | T 10,0        | 44 % | 9,6   |  |  |  |  |
| SMJ0800 | 1000 | 2000 | 1,00  | 780-000 | R 8,0  | T 10,0        | 58 % | 6,9   |  |  |  |  |
| SHL0800 | 1000 | 2000 | 1,50  | 780-000 | R 8,0  | T 10,0        | 58 % | 10,4  |  |  |  |  |
| SMJ0810 | 1000 | 2000 | 1,00  | 780-020 | R 8,0  | T 11,0        | 48 % | 8,3   |  |  |  |  |
| SHL0810 | 1000 | 2000 | 1,50  | 780-020 | R 8,0  | T 11,0        | 48 % | 12,5  |  |  |  |  |
| SHL0811 | 1250 | 2500 | 1,50  | 780-020 | R 8,0  | T 11,0        | 48 % | 19,5  |  |  |  |  |
| SHP0810 | 1000 | 2000 | 2,00  | 780-020 | R 8,0  | T 11,0        | 48 % | 17,1  |  |  |  |  |
| SHP0811 | 1250 | 2500 | 2,00  | 780-020 | R 8,0  | T 11,0        | 48 % | 26,5  |  |  |  |  |
| SHR0810 | 1000 | 2000 | 3,00  | 780-020 | R 8,0  | T 11,0        | 48 % | 25,6  |  |  |  |  |
| SMJ0820 | 1000 | 2000 | 1,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 9,6   |  |  |  |  |
| SHL0820 | 1000 | 2000 | 1,50  | 780-001 | R 8,0  | T 12,0        | 40 % | 14,4  |  |  |  |  |
| SHL0821 | 1250 | 2500 | 1,50  | 780-001 | R 8,0  | T 12,0        | 40 % | 22,4  |  |  |  |  |
| SHL0822 | 1500 | 3000 | 1,50  | 780-001 | R 8,0  | T 12,0        | 40 % | 32,9  |  |  |  |  |
| SHP0820 | 1000 | 2000 | 2,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 19,2  |  |  |  |  |
| SHP0821 | 1250 | 2500 | 2,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 29,8  |  |  |  |  |
| SHP0822 | 1500 | 3000 | 2,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 48,5  |  |  |  |  |
| SHR0820 | 1000 | 2000 | 3,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 28,7  |  |  |  |  |
| SMR0821 | 1250 | 2500 | 3,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 45,0  |  |  |  |  |
| SMR0822 | 1500 | 3000 | 3,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 64,8  |  |  |  |  |
| SHT0820 | 1000 | 2000 | 4,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 38,4  |  |  |  |  |
| SHU0820 | 1000 | 2000 | 5,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 48,0  |  |  |  |  |
| SHU0822 | 1500 | 3000 | 5,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 108,0 |  |  |  |  |
| SHV0820 | 1000 | 2000 | 6,00  | 780-001 | R 8,0  | T 12,0        | 40 % | 57,6  |  |  |  |  |
| SHX0830 | 1000 | 2000 | 8,00  | 780-028 | R 8,0  | T 15,0        | 26 % | 94,7  |  |  |  |  |
| SHP0900 | 1000 | 2000 | 2,00  | 790-000 | R 9,0  | T 12,0        | 51 % | 15,7  |  |  |  |  |
| SMJ1000 | 1000 | 2000 | 1,00  | 810-000 | R 10,0 | T 12,7        | 56 % | 7,2   |  |  |  |  |
| SHL1000 | 1000 | 2000 | 1,50  | 810-000 | R 10,0 | T 12,7        | 56 % | 10,7  |  |  |  |  |
| SHP1000 | 1000 | 2000 | 2,00  | 810-000 | R 10,0 | T 12,7        | 56 % | 14,3  |  |  |  |  |
| SMJ1020 | 1000 | 2000 | 1,00  | 810-044 | R 10,0 | T 14,0        | 46 % | 8,6   |  |  |  |  |
| SMJ1022 | 1500 | 3000 | 1,00  | 810-044 | R 10,0 | T 14,0        | 46 % | 19,3  |  |  |  |  |
| SHL1020 | 1000 | 2000 | 1,50  | 810-044 | R 10,0 | T 14,0        | 46 % | 12,9  |  |  |  |  |
| SHL1021 | 1250 | 2500 | 1,50  | 810-044 | R 10,0 | T 14,0        | 46 % | 20,1  |  |  |  |  |
| SHL1022 | 1500 | 3000 | 1,50  | 810-044 | R 10,0 | T 14,0        | 46 % | 29,0  |  |  |  |  |
| SHP1020 | 1000 | 2000 | 2,00  | 810-044 | R 10,0 | T 14,0        | 46 % | 17,2  |  |  |  |  |
| SHP1021 | 1250 | 2500 | 2,00  | 810-044 | R 10,0 | T 14,0        | 46 % | 26,9  |  |  |  |  |
| SHP1022 | 1500 | 3000 | 2,00  | 810-044 | R 10,0 | T 14,0        | 46 % | 46,5  |  |  |  |  |
| SMJ1030 | 1000 | 2000 | 1,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 9,6   |  |  |  |  |
| SHL1030 | 1000 | 2000 | 1,50  | 810-003 | R 10,0 | T 15,0        | 40 % | 14,4  |  |  |  |  |
| SHL1031 | 1250 | 2500 | 1,50  | 810-003 | R 10,0 | T 15,0        | 40 % | 22,4  |  |  |  |  |
| SHP1030 | 1000 | 2000 | 2,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 19,1  |  |  |  |  |
| SHP1031 | 1250 | 2500 | 2,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 29,8  |  |  |  |  |
| SHR1030 | 1000 | 2000 | 3,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 29,1  |  |  |  |  |
| SHR1031 | 1250 | 2500 | 3,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 45,8  |  |  |  |  |
| SMR1032 | 1500 | 3000 | 3,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 64,8  |  |  |  |  |
| SHT1030 | 1000 | 2000 | 4,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 38,4  |  |  |  |  |
| SHU1030 | 1000 | 2000 | 5,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 48,0  |  |  |  |  |
| SHU1032 | 1500 | 3000 | 5,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 108,0 |  |  |  |  |
| SHV1030 | 1000 | 2000 | 6,00  | 810-003 | R 10,0 | T 15,0        | 40 % | 57,6  |  |  |  |  |
| SHX1040 | 1000 | 2000 | 8,00  | 810-001 | R 10,0 | T 16,0        | 35 % | 83,2  |  |  |  |  |
| SHX1041 | 1250 | 2500 | 8,00  | 810-001 | R 10,0 | T 16,0        | 35 % | 130,0 |  |  |  |  |
| SHY1040 | 1000 | 2000 | 10,00 | 810-001 | R 10,0 | T 16,0        | 35 % | 104,0 |  |  |  |  |
| SMJ1100 | 1000 | 2000 | 1,00  | 811-000 | R 11,0 | T 14,5        | 52 % | 7,5   |  |  |  |  |
| SMJ1200 | 1000 | 2000 | 1,00  | 812-013 | R 12,0 | T 15,55       | 54 % | 7,6   |  |  |  |  |

|  |      |      |      |          |               |                 |      |      |  |  |  |  |  |
|--|------|------|------|----------|---------------|-----------------|------|------|--|--|--|--|--|
| <b>SMJ1210</b>                                       | 1000 | 2000 | 1,00 | 812-000  | R 12,0        | T 16,0          | 51 % | 7,8  |  |  |  |  |  |
| <b>SHL1210</b>                                       | 1000 | 2000 | 1,50 | 812-000  | R 12,0        | T 16,0          | 51 % | 11,8 |  |  |  |  |  |
| <b>SHP1210</b>                                       | 1000 | 2000 | 2,00 | 812-000  | R 12,0        | T 16,0          | 51 % | 15,7 |  |  |  |  |  |
| <b>SHR1210</b>                                       | 1000 | 2000 | 3,00 | 812-000  | R 12,0        | T 16,0          | 51 % | 23,5 |  |  |  |  |  |
| <b>SHV1210</b>                                       | 1000 | 2000 | 6,00 | 812-000  | R 12,0        | T 16,0          | 51 % | 47,0 |  |  |  |  |  |
| <b>SHV1211</b>                                       | 1250 | 2500 | 6,00 | 812-000  | R 12,0        | T 16,0          | 51 % | 73,5 |  |  |  |  |  |
| <b>SMJ1400</b>                                       | 1000 | 2000 | 1,00 | 814-000  | R 14,0        | T 16,5          | 65 % | 5,5  |  |  |  |  |  |
| <b>SHP1500</b>                                       | 1000 | 2000 | 2,00 | 815-006  | R 15,0        | T 20,0          | 51 % | 16,1 |  |  |  |  |  |
| <b>SHR1500</b>                                       | 1000 | 2000 | 3,00 | 815-006  | R 15,0        | T 20,0          | 51 % | 24,1 |  |  |  |  |  |
| <b>SHR2010</b>                                       | 1000 | 2000 | 3,00 | 820-002  | R 20,0        | T 28,0          | 46 % | 26,3 |  |  |  |  |  |
| <b>SHP2010</b>                                       | 1000 | 2000 | 2,00 | 820-002  | R20,0         | T28,0           | 46 % | 47,3 |  |  |  |  |  |
| <b>SHP2011</b>                                       | 1250 | 2500 | 2,00 | 820-002  | R20,0         | T28,0           | 46 % | 32,9 |  |  |  |  |  |
| <b>SHU2010</b>                                       | 1000 | 2000 | 5,00 | 820-002  | R20,0         | T28,0           | 46 % | 46,4 |  |  |  |  |  |
| <b>SHL2000</b>                                       | 1000 | 2000 | 1,50 | R20T27   | R20,0         | T27,0           | 50 % | 42,9 |  |  |  |  |  |
| <b>SHP2000</b>                                       | 1000 | 2000 | 2,00 | R20T27   | R20,0         | T27,0           | 50 % | 54,1 |  |  |  |  |  |
| <b>SHP2001</b>                                       | 1250 | 2500 | 2,00 | R20T27   | R20,0         | T27,0           | 50 % | 12,9 |  |  |  |  |  |
| <b>Teräs DC01/DD11- Neliöreijät ja erikoiskuviot</b> |      |      |      |          |               |                 |      |      |  |  |  |  |  |
| <b>SMJ3040</b>                                       | 1000 | 2000 | 1,00 | 404-000  | C 4,0         | U 6,38 x 6,38   | 39 % | 9,8  |  |  |  |  |  |
| <b>SHL3500</b>                                       | 1000 | 2000 | 1,50 | 405-001  | C 5,0         | U 7,0 X 7,0     | 51 % | 11,8 |  |  |  |  |  |
| <b>SMJ3050</b>                                       | 1000 | 2000 | 1,00 | 405-000  | C 5,0         | U 7,5 x 7,5     | 44 % | 9,0  |  |  |  |  |  |
| <b>SHL3050</b>                                       | 1000 | 2000 | 1,50 | 405-000  | C 5,0         | U 7,5 x 7,5     | 44 % | 13,5 |  |  |  |  |  |
| <b>SMJ3520</b>                                       | 1000 | 2000 | 1,00 | 405-012  | C 5,0         | U 8,0 X 8,0     | 39 % | 9,8  |  |  |  |  |  |
| <b>SHL3520</b>                                       | 1000 | 2000 | 1,50 | 405-012  | C 5,0         | U 8,0 X 8,0     | 39 % | 14,6 |  |  |  |  |  |
| <b>SHL3521</b>                                       | 1250 | 2500 | 1,50 | 405-012  | C 5,0         | U 8,0 X 8,0     | 39 % | 22,9 |  |  |  |  |  |
| <b>SHL3522</b>                                       | 1500 | 3000 | 1,50 | 405-012  | C 5,0         | U 8,0 X 8,0     | 39 % | 32,9 |  |  |  |  |  |
| <b>SHP3520</b>                                       | 1000 | 2000 | 2,00 | 405-012  | C 5,0         | U 8,0 X 8,0     | 39 % | 19,5 |  |  |  |  |  |
| <b>SHL3600</b>                                       | 1000 | 2000 | 1,50 | 406-013  | C 6,0         | U 9,0 X 9,0     | 44 % | 13,3 |  |  |  |  |  |
| <b>SMJ3060</b>                                       | 1000 | 2000 | 1,00 | 406-000  | C 6,0         | U 10,0 x 10,0   | 36 % | 10,5 |  |  |  |  |  |
| <b>SMJ3080</b>                                       | 1000 | 2000 | 1,00 | 408-005  | C 8,0         | U 10,0 x 10,0   | 64 % | 5,9  |  |  |  |  |  |
| <b>SHL3080</b>                                       | 1000 | 2000 | 1,50 | 408-005  | C 8,0         | U 10,0 x 10,0   | 64 % | 8,6  |  |  |  |  |  |
| <b>SHP3080</b>                                       | 1000 | 2000 | 2,00 | 408-005  | C 8,0         | U 10,0 x 10,0   | 64 % | 11,5 |  |  |  |  |  |
| <b>SMJ3280</b>                                       | 1000 | 2000 | 1,00 | 408-004  | C 8,0         | U 12,0 x 12,0   | 44 % | 8,9  |  |  |  |  |  |
| <b>SHL3280</b>                                       | 1000 | 2000 | 1,50 | 408-004  | C 8,0         | U 12,0 x 12,0   | 44 % | 13,6 |  |  |  |  |  |
| <b>SHL3281</b>                                       | 1250 | 2500 | 1,50 | 408-004  | C 8,0         | U 12,0 x 12,0   | 44 % | 20,8 |  |  |  |  |  |
| <b>SHP3280</b>                                       | 1000 | 2000 | 2,00 | 408-004  | C 8,0         | U 12,0 x 12,0   | 44 % | 17,8 |  |  |  |  |  |
| <b>SHP3281</b>                                       | 1250 | 2500 | 2,00 | 408-004  | C 8,0         | U 12,0 x 12,0   | 44 % | 27,8 |  |  |  |  |  |
| <b>SML3300</b>                                       | 1000 | 2000 | 1,50 | 409-005  | C 9,0         | U 34,0 x 34,0   | 7 %  | 22,3 |  |  |  |  |  |
| <b>SML3301</b>                                       | 1250 | 2500 | 1,50 | 409-005  | C 9,0         | U 34,0 x 34,0   | 7 %  | 34,9 |  |  |  |  |  |
| <b>SML3200</b>                                       | 1000 | 2000 | 1,50 | 409-012  | C 9,2         | U 38,0 x 38,0   | 6 %  | 22,6 |  |  |  |  |  |
| <b>SMJ3190</b>                                       | 1000 | 2000 | 1,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 8,1  |  |  |  |  |  |
| <b>SMJ3191</b>                                       | 1250 | 2500 | 1,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 12,4 |  |  |  |  |  |
| <b>SHL3190</b>                                       | 1000 | 2000 | 1,50 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 12,1 |  |  |  |  |  |
| <b>SML3191</b>                                       | 1250 | 2500 | 1,50 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 19,0 |  |  |  |  |  |
| <b>SML3192</b>                                       | 1500 | 3000 | 1,50 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 26,6 |  |  |  |  |  |
| <b>SHP3190</b>                                       | 1000 | 2000 | 2,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 16,2 |  |  |  |  |  |
| <b>SMP3191</b>                                       | 1250 | 2500 | 2,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 25,3 |  |  |  |  |  |
| <b>SMR3191</b>                                       | 1250 | 2500 | 3,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 38,9 |  |  |  |  |  |
| <b>SMJ3100</b>                                       | 1000 | 2000 | 1,00 | 410-002  | C 10,0        | U 12,0 x 12,0   | 69 % | 5,1  |  |  |  |  |  |
| <b>SHL3100</b>                                       | 1000 | 2000 | 1,50 | 410-002  | C 10,0        | U 12,0 x 12,0   | 69 % | 7,7  |  |  |  |  |  |
| <b>SHP3100</b>                                       | 1000 | 2000 | 2,00 | 410-002  | C 10,0        | U 12,0 x 12,0   | 69 % | 10,3 |  |  |  |  |  |
| <b>SMJ3110</b>                                       | 1000 | 2000 | 1,00 | 410-000  | C 10,0        | U 14,0 X 14,0   | 51 % | 7,8  |  |  |  |  |  |
| <b>SMJ3111</b>                                       | 1250 | 2500 | 1,00 | 410-000  | C 10,0        | U 14,0 X 14,0   | 51 % | 12,2 |  |  |  |  |  |
| <b>SHL3110</b>                                       | 1000 | 2000 | 1,50 | 410-000  | C 10,0        | U 14,0 X 14,0   | 51 % | 11,8 |  |  |  |  |  |
| <b>SHL3111</b>                                       | 1250 | 2500 | 1,50 | 410-000  | C 10,0        | U 14,0 X 14,0   | 51 % | 18,4 |  |  |  |  |  |
| <b>SHP3110</b>                                       | 1000 | 2000 | 2,00 | 410-000  | C 10,0        | U 14,0 X 14,0   | 51 % | 15,7 |  |  |  |  |  |
| <b>SHP3111</b>                                       | 1250 | 2500 | 2,00 | 410-000  | C 10,0        | U 14,0 X 14,0   | 51 % | 24,5 |  |  |  |  |  |
| <b>SMJ3130</b>                                       | 1000 | 2000 | 1,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 8,9  |  |  |  |  |  |
| <b>SMJ3131</b>                                       | 1250 | 2500 | 1,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 13,9 |  |  |  |  |  |
| <b>SHL3130</b>                                       | 1000 | 2000 | 1,50 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 13,3 |  |  |  |  |  |
| <b>SHL3131</b>                                       | 1250 | 2500 | 1,50 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 20,8 |  |  |  |  |  |
| <b>SHL3132</b>                                       | 1500 | 3000 | 1,50 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 32,2 |  |  |  |  |  |
| <b>SHP3130</b>                                       | 1000 | 2000 | 2,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 17,8 |  |  |  |  |  |
| <b>SHP3131</b>                                       | 1250 | 2500 | 2,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 27,8 |  |  |  |  |  |
| <b>SHP3132</b>                                       | 1500 | 3000 | 2,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 40,3 |  |  |  |  |  |
| <b>SHR3130</b>                                       | 1000 | 2000 | 3,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 27,9 |  |  |  |  |  |
| <b>SHR3132</b>                                       | 1500 | 3000 | 3,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 60,0 |  |  |  |  |  |
| <b>SHL3150</b>                                       | 1000 | 2000 | 1,50 | 415-000  | C 15,0        | U 20,0 x 20,0   | 56 % | 11,0 |  |  |  |  |  |
| <b>SHP3150</b>                                       | 1000 | 2000 | 2,00 | 415-000  | C 15,0        | U 20,0 x 20,0   | 56 % | 14,7 |  |  |  |  |  |
| <b>SMJ4010</b>                                       | 1000 | 2000 | 1,00 | 1-005    | Kløver 9,78   | M 10,61         | 46 % | 8,8  |  |  |  |  |  |
| <b>SMJ4020</b>                                       | 1000 | 2000 | 1,00 | 1-006    | R 6 / 9,75    | U 15,0 x 15,0   | 36 % | 10,4 |  |  |  |  |  |
| <b>SMJ4000</b>                                       | 1000 | 2000 | 1,00 | 1-020    | Kløver 12,23  | M 13,58         | 46 % | 8,8  |  |  |  |  |  |
| <b>SMJ4001</b>                                       | 1250 | 2500 | 1,00 | 1-020    | Kløver 12,23  | M 13,58         | 46 % | 13,7 |  |  |  |  |  |
| <b>SML4000</b>                                       | 1000 | 2000 | 1,50 | 1-020    | Kløver 12,23  | M 13,58         | 46 % | 13,2 |  |  |  |  |  |
| <b>SML4001</b>                                       | 1250 | 2500 | 1,50 | 1-020    | Kløver 12,23  | M 13,58         | 46 % | 20,5 |  |  |  |  |  |
| <b>SMP4000</b>                                       | 1000 | 2000 | 2,00 | 1-020    | Kløver 12,23  | M 13,58         | 46 % | 17,6 |  |  |  |  |  |
| <b>SMJ5000</b>                                       | 1000 | 2000 | 1,00 | 2-000    | Kløver 11,5   | 22,85 x 22,4    | 44 % | 9,3  |  |  |  |  |  |
| <b>SML5000</b>                                       | 1000 | 2000 | 1,50 | 2-000    | Kløver 11,5   | 22,85 x 22,4    | 44 % | 13,9 |  |  |  |  |  |
| <b>SMJ6000</b>                                       | 1000 | 2000 | 1,00 | 45-000   | Flet 10,0     | M 26,3          | 29 % | 11,7 |  |  |  |  |  |
| <b>SMJ6010</b>                                       | 1000 | 2000 | 1,00 | 46-000   | 34,5 x 48,0   | 55,0 x 55,0     | 38 % | 10,2 |  |  |  |  |  |
| <b>SMP42090</b>                                      | 1000 | 2000 | 2,00 | 4209-000 | R 7,3 / R 5,0 | M 17,68         | 20 % | 22,9 |  |  |  |  |  |

| Teräs DC01 - Hexagonal eli kuusikulmareijät                |      |      |      |          |               |               |      |      |
|--|------|------|------|----------|---------------|---------------|------|------|
| SMJ7020  | 1000 | 2000 | 1,00 | H2T2.5   |               |               | 64   | 12,1 |
| SMJ7060  | 1000 | 2000 | 1,00 | H6T6.7   |               |               | 80   | 16,1 |
| SML7060  | 1000 | 2000 | 1,50 | H6T6.7   |               |               | 80   | 24,1 |
| SMJ7080  | 1000 | 2000 | 1,00 | H8T8.7   |               |               | 85   | 51,4 |
| SMJ7110  | 1000 | 2000 | 1,00 | H11T14   |               |               | 62   | 79,1 |
| SHL7110  | 1000 | 2000 | 1,50 | H11T14   |               |               | 62   | 6,2  |
| Teräs DC01 - Rakolevyt reijät riveissä leveysuunnassa      |      |      |      |          |               |               |      |      |
| SMJ8150  | 1000 | 2000 | 1,00 | 1155-000 | LR 1,5 x 20,0 | U 3,0 x 24,0  | 41 % | 9,6  |
| SMJ8200  | 1000 | 2000 | 1,00 | 1205-000 | LR 2,0 x 20,0 | U 4,0 x 24,0  | 41 % | 9,7  |
| SMJ8250  | 1000 | 2000 | 1,00 | 1255-000 | LR 2,5 x 20,0 | U 5,0 x 24,0  | 41 % | 9,4  |
| SMJ8500  | 1000 | 2000 | 1,00 | 1506-000 | LR 5,0 x 25,0 | U 8,0 x 32,0  | 47 % | 8,5  |
| Teräs DC01 - Rakolevyt reijät porrastettu pituus suunnassa |      |      |      |          |               |               |      |      |
| SMJ9110  | 1000 | 2000 | 1,00 | 1105-006 | LR 1,0 x 20,0 | Z 6,32 x 24,0 | 26 % | 12,0 |
| SMJ9150  | 1000 | 2000 | 1,00 | 1155-006 | LR 1,5 x 20,0 | Z 7,5 x 24,0  | 33 % | 10,7 |
| SMJ9200  | 1000 | 2000 | 1,00 | 1205-006 | LR 2,0 x 20,0 | Z 8,88 x 24,0 | 37 % | 10,1 |
| SMJ9250  | 1000 | 2000 | 1,00 | 1255-006 | LR 2,5 x 20,0 | Z 10,8 x 24,0 | 38 % | 9,9  |
| SMJ9300  | 1000 | 2000 | 1,00 | 1305-006 | LR 3,0 x 20,0 | Z 12,0 x 24,0 | 40 % | 9,4  |
| SMJ9400  | 1000 | 2000 | 1,00 | 1404-006 | LR 4,0 x 20,0 | Z 16,0 x 24,0 | 40 % | 9,4  |
| Kuumasinkitty teräs DX51D-Z pyöreät-neliö ja erikoisreijät |      |      |      |          |               |               |      |      |
| SGJ0150  | 1000 | 2000 | 1,00 | 715-000  | R 1,5         | T 2,6         | 30 % | 11,2 |
| SGGE0200   | 1000 | 2000 | 0,75 | 720-000  | R 2,0         | T 3,5         | 30 % | 8,4  |
| SGJ0200  | 1000 | 2000 | 1,00 | 720-000  | R 2,0         | T 3,5         | 30 % | 11,3 |
| SGJ0201  | 1250 | 2500 | 1,00 | 720-000  | R 2,0         | T 3,5         | 30 % | 17,6 |
| SGL0200  | 1000 | 2000 | 1,50 | 720-000  | R 2,0         | T 3,5         | 30 % | 16,9 |
| SGE0300  | 1000 | 2000 | 0,50 | 730-000  | R 3,0         | T 5,0         | 33 % | 5,4  |
| SGF0300  | 1000 | 2000 | 0,60 | 730-000  | R 3,0         | T 5,0         | 33 % | 6,4  |
| SGG0300  | 1000 | 2000 | 0,70 | 730-000  | R 3,0         | T 5,0         | 33 % | 7,5  |
| SGGE0300   | 1000 | 2000 | 0,75 | 730-000  | R 3,0         | T 5,0         | 33 % | 8,2  |
| SGGE0301   | 1250 | 2500 | 0,75 | 730-000  | R 3,0         | T 5,0         | 33 % | 12,7 |
| SGJ0300  | 1000 | 2000 | 1,00 | 730-000  | R 3,0         | T 5,0         | 33 % | 10,9 |
| SGJ0301  | 1250 | 2500 | 1,00 | 730-000  | R 3,0         | T 5,0         | 33 % | 17,0 |
| SGJ0302  | 1500 | 3000 | 1,00 | 730-000  | R 3,0         | T 5,0         | 33 % | 24,1 |
| SGL0300  | 1000 | 2000 | 1,50 | 730-000  | R 3,0         | T 5,0         | 33 % | 16,1 |
| SGL0301  | 1250 | 2500 | 1,50 | 730-000  | R 3,0         | T 5,0         | 33 % | 25,1 |
| SGL0302  | 1500 | 3000 | 1,50 | 730-000  | R 3,0         | T 5,0         | 33 % | 36,4 |
| SGP0300  | 1000 | 2000 | 2,00 | 730-000  | R 3,0         | T 5,0         | 33 % | 21,6 |
| SGJ0410  | 1000 | 2000 | 1,00 | 740-020  | R 4,0         | T 6,0         | 40 % | 9,6  |
| SGJ0411  | 1250 | 2500 | 1,00 | 740-020  | R 4,0         | T 6,0         | 40 % | 14,9 |
| SGJ0412  | 1500 | 3000 | 1,00 | 740-020  | R 4,0         | T 6,0         | 40 % | 21,5 |
| SGJ0500  | 1000 | 2000 | 1,00 | 750-021  | R 5,0         | T 6,5         | 56 % | 15,0 |
| SGGE0550   | 1000 | 2000 | 0,75 | 750-013  | R 5,0         | T 7,0         | 46 % | 6,4  |
| SGJ0550  | 1000 | 2000 | 1,00 | 750-013  | R 5,0         | T 7,0         | 46 % | 8,6  |
| SGJ0551  | 1250 | 2500 | 1,00 | 750-013  | R 5,0         | T 7,0         | 46 % | 13,4 |
| SGL0551  | 1250 | 2500 | 1,50 | 750-013  | R 5,0         | T 7,0         | 46 % | 18,4 |
| SGF0510  | 1000 | 2000 | 0,60 | 750-000  | R 5,0         | T 7,5         | 40 % | 5,8  |
| SGJ0510  | 1000 | 2000 | 1,00 | 750-000  | R 5,0         | T 7,5         | 40 % | 9,6  |
| SGL0510  | 1000 | 2000 | 1,50 | 750-000  | R 5,0         | T 7,5         | 40 % | 14,5 |
| SGE0521  | 1250 | 2500 | 0,50 | 750-002  | R 5,0         | T 8,0         | 35 % | 8,1  |
| SGG0520  | 1000 | 2000 | 0,70 | 750-002  | R 5,0         | T 8,0         | 35 % | 7,3  |
| SGGE0520   | 1000 | 2000 | 0,75 | 750-002  | R 5,0         | T 8,0         | 35 % | 7,7  |
| SGGE0521   | 1250 | 2500 | 0,75 | 750-002  | R 5,0         | T 8,0         | 35 % | 12,1 |
| SGJ0520  | 1000 | 2000 | 1,00 | 750-002  | R 5,0         | T 8,0         | 35 % | 10,4 |
| SGJ0521  | 1250 | 2500 | 1,00 | 750-002  | R 5,0         | T 8,0         | 35 % | 16,2 |
| SGJ0522  | 1500 | 3000 | 1,00 | 750-002  | R 5,0         | T 8,0         | 35 % | 23,2 |
| SGL0520  | 1000 | 2000 | 1,50 | 750-002  | R 5,0         | T 8,0         | 35 % | 15,5 |
| SGL0521  | 1250 | 2500 | 1,50 | 750-002  | R 5,0         | T 8,0         | 35 % | 24,2 |
| SGL0522  | 1500 | 3000 | 1,50 | 750-002  | R 5,0         | T 8,0         | 35 % | 34,9 |
| SGP0520  | 1000 | 2000 | 2,00 | 750-002  | R 5,0         | T 8,0         | 35 % | 20,8 |
| SGP0521  | 1250 | 2500 | 2,00 | 750-002  | R 5,0         | T 8,0         | 35 % | 32,3 |
| SGP0522  | 1500 | 3000 | 2,00 | 750-002  | R 5,0         | T 8,0         | 35 % | 46,5 |
| SGJ0530  | 1000 | 2000 | 1,00 | 750-003  | R 5,0         | U 10,0 x 10,0 | 20 % | 12,8 |
| SGJ0600  | 1000 | 2000 | 1,00 | 760-000  | R 6,0         | T 8,0         | 51 % | 8,1  |
| SGJ0601  | 1250 | 2500 | 1,00 | 760-000  | R 6,0         | T 8,0         | 51 % | 12,5 |
| SGL0601  | 1250 | 2500 | 1,50 | 760-000  | R 6,0         | T 8,0         | 51 % | 20,1 |
| SGJ0610  | 1000 | 2000 | 1,00 | 760-020  | R 6,0         | T 9,0         | 40 % | 9,6  |
| SGL0610  | 1000 | 2000 | 1,50 | 760-020  | R 6,0         | T 9,0         | 40 % | 14,3 |
| SGG0801  | 1250 | 2500 | 0,70 | 780-000  | R 8,0         | T 10,0        | 58 % | 7,9  |
| SGJ0801  | 1250 | 2500 | 1,00 | 780-000  | R 8,0         | T 10,0        | 58 % | 10,5 |
| SGL0801  | 1250 | 2500 | 1,50 | 780-000  | R 8,0         | T 10,0        | 58 % | 15,7 |
| SGJ0810  | 1000 | 2000 | 1,00 | 780-020  | R 8,0         | T 11,0        | 48 % | 8,3  |
| SGL0810  | 1000 | 2000 | 1,50 | 780-020  | R 8,0         | T 11,0        | 48 % | 12,5 |
| SGP0810  | 1000 | 2000 | 2,00 | 780-020  | R 8,0         | T 11,0        | 48 % | 16,6 |
| SGJ0820  | 1000 | 2000 | 1,00 | 780-001  | R 8,0         | T 12,0        | 40 % | 9,6  |
| SGL0820  | 1000 | 2000 | 1,50 | 780-001  | R 8,0         | T 12,0        | 40 % | 14,3 |
| SGP0820  | 1000 | 2000 | 2,00 | 780-001  | R 8,0         | T 12,0        | 40 % | 19,1 |

|   |      |      |      |                  |               |                 |      |      |  |  |  |  |  |
|---|------|------|------|------------------|---------------|-----------------|------|------|--|--|--|--|--|
| SGJ1020   | 1000 | 2000 | 1,00 | 810-044          | R 10,0        | T 14,0          | 46 % | 8,6  |  |  |  |  |  |
| SGL1020   | 1000 | 2000 | 1,50 | 810-044          | R 10,0        | T 14,0          | 46 % | 12,9 |  |  |  |  |  |
| SGP1020   | 1000 | 2000 | 2,00 | 810-044          | R 10,0        | T 14,0          | 46 % | 17,2 |  |  |  |  |  |
| SGJ1030   | 1000 | 2000 | 1,00 | 810-003          | R 10,0        | T 15,0          | 40 % | 9,6  |  |  |  |  |  |
| SGJ1031   | 1250 | 2500 | 1,00 | 810-003          | R 10,0        | T 15,0          | 40 % | 14,9 |  |  |  |  |  |
| SGL1030   | 1000 | 2000 | 1,50 | 810-003          | R 10,0        | T 15,0          | 40 % | 14,3 |  |  |  |  |  |
| SGL1031   | 1250 | 2500 | 1,50 | 810-003          | R 10,0        | T 15,0          | 40 % | 22,4 |  |  |  |  |  |
| SGL1032   | 1500 | 3000 | 1,50 | 810-003          | R 10,0        | T 15,0          | 40 % | 32,2 |  |  |  |  |  |
| SGP1030   | 1000 | 2000 | 2,00 | 810-003          | R 10,0        | T 15,0          | 40 % | 19,1 |  |  |  |  |  |
| SGP1031   | 1250 | 2500 | 2,00 | 810-003          | R 10,0        | T 15,0          | 40 % | 29,8 |  |  |  |  |  |
| SGP1032   | 1500 | 3000 | 2,00 | 810-003          | R 10,0        | T 15,0          | 40 % | 43,0 |  |  |  |  |  |
| SGJ1050   | 1000 | 2000 | 1,00 | 810-022          | R 10,0        | U 26,0 x 26,0   | 12 % | 14,2 |  |  |  |  |  |
| SGJ3520   | 1000 | 2000 | 1,00 | 405-012          | C 5,0         | U 8,0 X 8,0     | 39 % | 9,8  |  |  |  |  |  |
| SGL3520   | 1000 | 2000 | 1,50 | 405-012          | C 5,0         | U 8,0 X 8,0     | 39 % | 14,6 |  |  |  |  |  |
| SGL3521   | 1250 | 2500 | 1,50 | 405-012          | C 5,0         | U 8,0 X 8,0     | 39 % | 22,9 |  |  |  |  |  |
| SGP3520   | 1000 | 2000 | 2,00 | 405-012          | C 5,0         | U 8,0 X 8,0     | 39 % | 19,5 |  |  |  |  |  |
| SGJ3080   | 1000 | 2000 | 1,00 | 408-005          | C 8,0         | U 10,0 x 10,0   | 64 % | 5,8  |  |  |  |  |  |
| SGL3080   | 1000 | 2000 | 1,50 | 408-005          | C 8,0         | U 10,0 x 10,0   | 64 % | 8,9  |  |  |  |  |  |
| SGJ3280   | 1000 | 2000 | 1,00 | 408-004          | C 8,0         | U 12,0 x 12,0   | 44 % | 8,9  |  |  |  |  |  |
| SGL3280   | 1000 | 2000 | 1,50 | 408-004          | C 8,0         | U 12,0 x 12,0   | 44 % | 13,3 |  |  |  |  |  |
| SGP3280   | 1000 | 2000 | 2,00 | 408-004          | C 8,0         | U 12,0 x 12,0   | 44 % | 17,8 |  |  |  |  |  |
| SGJ3190   | 1000 | 2000 | 1,00 | 409-013          | C 9,5         | U 13,33 x 13,33 | 51 % | 8,1  |  |  |  |  |  |
| SGJ3191   | 1250 | 2500 | 1,00 | 409-013          | C 9,5         | U 13,33 x 13,33 | 51 % | 12,6 |  |  |  |  |  |
| SGL3190   | 1000 | 2000 | 1,50 | 409-013          | C 9,5         | U 13,33 x 13,33 | 51 % | 12,1 |  |  |  |  |  |
| SGL3191   | 1250 | 2500 | 1,50 | 409-013          | C 9,5         | U 13,33 x 13,33 | 51 % | 18,5 |  |  |  |  |  |
| SGP3190   | 1000 | 2000 | 2,00 | 409-013          | C 9,5         | U 13,33 x 13,33 | 51 % | 15,7 |  |  |  |  |  |
| SGP3191   | 1250 | 2500 | 2,00 | 409-013          | C 9,5         | U 13,33 x 13,33 | 51 % | 24,6 |  |  |  |  |  |
| SGJ3100   | 1000 | 2000 | 1,00 | 410-002          | C 10,0        | U 12,0 x 12,0   | 69 % | 5,0  |  |  |  |  |  |
| SGL3100   | 1000 | 2000 | 1,50 | 410-002          | C 10,0        | U 12,0 x 12,0   | 69 % | 7,3  |  |  |  |  |  |
| SGP3100   | 1000 | 2000 | 2,00 | 410-002          | C 10,0        | U 12,0 x 12,0   | 69 % | 9,8  |  |  |  |  |  |
| SGJ3110   | 1000 | 2000 | 1,00 | 410-000          | C 10,0        | U 14,0 x 14,0   | 51 % | 7,8  |  |  |  |  |  |
| SGJ3111   | 1250 | 2500 | 1,00 | 410-000          | C 10,0        | U 14,0 x 14,0   | 51 % | 12,2 |  |  |  |  |  |
| SGL3110   | 1000 | 2000 | 1,50 | 410-000          | C 10,0        | U 14,0 x 14,0   | 51 % | 11,8 |  |  |  |  |  |
| SGL3111   | 1250 | 2500 | 1,50 | 410-000          | C 10,0        | U 14,0 x 14,0   | 51 % | 18,4 |  |  |  |  |  |
| SGP3110   | 1000 | 2000 | 2,00 | 410-000          | C 10,0        | U 14,0 x 14,0   | 51 % | 15,7 |  |  |  |  |  |
| SGJ3130   | 1000 | 2000 | 1,00 | 410-005          | C 10,0        | U 15,0 X 15,0   | 44 % | 8,9  |  |  |  |  |  |
| SGL3130   | 1000 | 2000 | 1,50 | 410-005          | C 10,0        | U 15,0 X 15,0   | 44 % | 13,3 |  |  |  |  |  |
| SGL3131   | 1250 | 2500 | 1,50 | 410-005          | C 10,0        | U 15,0 X 15,0   | 44 % | 24,2 |  |  |  |  |  |
| SGP3130   | 1000 | 2000 | 2,00 | 410-005          | C 10,0        | U 15,0 X 15,0   | 44 % | 17,8 |  |  |  |  |  |
| SGP3131   | 1250 | 2500 | 2,00 | 410-005          | C 10,0        | U 15,0 X 15,0   | 44 % | 27,8 |  |  |  |  |  |
| SGJ4000   | 1000 | 2000 | 1,00 | 1-020            | Kløver 12,23  | M 13,58         | 46 % | 8,9  |  |  |  |  |  |
| SGP42090  | 1000 | 2000 | 2,00 | 4209-000         | R 7,3 / R 5,0 | M 17,68         | 20 % | 22,9 |  |  |  |  |  |
| SGP0380   | 1000 | 2000 | 2,00 | DEC3.8X6.6U10X20 |               |                 | 54   | 18,3 |  |  |  |  |  |
| <b>Kuumasinkitty rei'ityksen jälkeen - neliö reijät</b> |      |      |      |                  |               |                 |      |      |  |  |  |  |  |
| SGOL3190  | 1000 | 2000 | 1,50 | 409-013          | C 9,5         | U 13,33 x 13,33 | 51 % | 13,1 |  |  |  |  |  |
| SGOP3190  | 1000 | 2000 | 2,00 | 409-013          | C 9,5         | U 13,33 x 13,33 | 51 % | 18,5 |  |  |  |  |  |
| <b>Alumiini EN 1050 A pyöreät ja neliöreijät</b>        |      |      |      |                  |               |                 |      |      |  |  |  |  |  |
| SAG0100   | 1000 | 2000 | 0,70 | 710-000          | R 1,0         | T 2,0           | 23 % | 3,8  |  |  |  |  |  |
| SAJ0100   | 1000 | 2000 | 1,00 | 710-000          | R 1,0         | T 2,0           | 23 % | 4,2  |  |  |  |  |  |
| SAJ0200   | 1000 | 2000 | 1,00 | 720-000          | R 2,0         | T 3,5           | 30 % | 3,8  |  |  |  |  |  |
| SAL0200   | 1000 | 2000 | 1,50 | 720-000          | R 2,0         | T 3,5           | 30 % | 5,7  |  |  |  |  |  |
| SAJ0300   | 1000 | 2000 | 1,00 | 730-000          | R 3,0         | T 5,0           | 33 % | 3,7  |  |  |  |  |  |
| SAL0300   | 1000 | 2000 | 1,50 | 730-000          | R 3,0         | T 5,0           | 33 % | 5,5  |  |  |  |  |  |
| SAP0300   | 1000 | 2000 | 2,00 | 730-000          | R 3,0         | T 5,0           | 33 % | 7,3  |  |  |  |  |  |
| SAJ0420   | 1000 | 2000 | 1,00 | 740-028          | R 4,0         | T 5,0           | 58 % | 2,3  |  |  |  |  |  |
| SAJ0410   | 1000 | 2000 | 1,00 | 740-020          | R 4,0         | T 6,0           | 40 % | 3,2  |  |  |  |  |  |
| SAL0410   | 1000 | 2000 | 1,50 | 740-020          | R 4,0         | T 6,0           | 40 % | 4,8  |  |  |  |  |  |
| SAP0410   | 1000 | 2000 | 2,00 | 740-020          | R 4,0         | T 6,0           | 40 % | 6,5  |  |  |  |  |  |
| SAJ0550   | 1000 | 2000 | 1,00 | 750-013          | R 5,0         | T 7,0           | 46 % | 2,9  |  |  |  |  |  |
| SAJ0510   | 1000 | 2000 | 1,00 | 750-000          | R 5,0         | T 7,5           | 40 % | 3,3  |  |  |  |  |  |
| SAP0510   | 1000 | 2000 | 2,00 | 750-000          | R 5,0         | T 7,5           | 40 % | 6,5  |  |  |  |  |  |
| SAJ0520   | 1000 | 2000 | 1,00 | 750-002          | R 5,0         | T 8,0           | 35 % | 3,5  |  |  |  |  |  |
| SAJ0521   | 1250 | 2500 | 1,00 | 750-002          | R 5,0         | T 8,0           | 35 % | 5,5  |  |  |  |  |  |
| SAL0520   | 1000 | 2000 | 1,50 | 750-002          | R 5,0         | T 8,0           | 35 % | 5,2  |  |  |  |  |  |
| SAP0520   | 1000 | 2000 | 2,00 | 750-002          | R 5,0         | T 8,0           | 35 % | 5,8  |  |  |  |  |  |
| SAR0520   | 1000 | 2000 | 3,00 | 750-002          | R 5,0         | T 8,0           | 35 % | 10,5 |  |  |  |  |  |
| SAL0610   | 1000 | 2000 | 1,50 | 760-020          | R 6,0         | T 9,0           | 40 % | 4,8  |  |  |  |  |  |
| SAP0810   | 1000 | 2000 | 2,00 | 780-020          | R 8,0         | T 11,0          | 48 % | 5,6  |  |  |  |  |  |
| SAJ0820   | 1000 | 2000 | 1,00 | 780-001          | R 8,0         | T 12,0          | 40 % | 3,2  |  |  |  |  |  |
| SAL0820   | 1000 | 2000 | 1,50 | 780-001          | R 8,0         | T 12,0          | 40 % | 4,8  |  |  |  |  |  |
| SAP0820   | 1000 | 2000 | 2,00 | 780-001          | R 8,0         | T 12,0          | 40 % | 6,4  |  |  |  |  |  |
| SAR1020   | 1000 | 2000 | 3,00 | 810-044          | R 10,0        | T 14,0          | 46 % | 8,7  |  |  |  |  |  |
| SAL1030   | 1000 | 2000 | 1,50 | 810-003          | R 10,0        | T 15,0          | 40 % | 4,8  |  |  |  |  |  |
| SAP1030   | 1000 | 2000 | 2,00 | 810-003          | R 10,0        | T 15,0          | 40 % | 7,0  |  |  |  |  |  |
| SAR1030   | 1000 | 2000 | 3,00 | 810-003          | R 10,0        | T 15,0          | 40 % | 9,7  |  |  |  |  |  |
| SAL3050   | 1000 | 2000 | 1,50 | 405-000          | C 5,0         | U 7,5 x 7,5     | 44 % | 4,6  |  |  |  |  |  |
| SAJ3520   | 1000 | 2000 | 1,00 | 405-012          | C 5,0         | U 8,0 X 8,0     | 39 % | 3,3  |  |  |  |  |  |
| SAP3280   | 1000 | 2000 | 2,00 | 408-004          | C 8,0         | U 12,0 X 12,0   | 44 % | 6,0  |  |  |  |  |  |

|  |      |      |      |            |        |                 |      |      |  |  |  |  |  |  |
|--|------|------|------|------------|--------|-----------------|------|------|--|--|--|--|--|--|
| SAJ3190  | 1000 | 2000 | 1,00 | 409-013    | C 9,5  | U 13,33 x 13,33 | 51 % | 2,7  |  |  |  |  |  |  |
| SAP3100  | 1000 | 2000 | 2,00 | 410-002    | C 10,0 | U 12,0 x 12,0   | 69 % | 3,4  |  |  |  |  |  |  |
| SAJ3130  | 1000 | 2000 | 1,00 | 410-005    | C 10,0 | U 15,0 X 15,0   | 44 % | 3,0  |  |  |  |  |  |  |
| SAL3130  | 1000 | 2000 | 1,50 | 410-005    | C 10,0 | U 15,0 X 15,0   | 44 % | 4,5  |  |  |  |  |  |  |
| SAP3130  | 1000 | 2000 | 2,00 | 410-005    | C 10,0 | U 15,0 X 15,0   | 44 % | 6,0  |  |  |  |  |  |  |
| <b>Perfocon Ruostumaton teräs EN1.4301</b>         |      |      |      |            |        |                 |      |      |  |  |  |  |  |  |
| SSFA0033   | 950  | 2000 | 0,60 | 512508-020 | 0,2    | 2,5 x 1,6       | 3 %  | 8,8  |  |  |  |  |  |  |
| <b>Ruostumaton teräs EN1.4301 - pyöreät reijät</b> |      |      |      |            |        |                 |      |      |  |  |  |  |  |  |
| SSD0050  | 1000 | 2000 | 0,40 | 705-020    | R 0,5  | T 1,09          | 19 % | 5,2  |  |  |  |  |  |  |
| SSE0050  | 1000 | 2000 | 0,50 | 705-020    | R 0,5  | T 1,09          | 19 % | 6,5  |  |  |  |  |  |  |
| SSF0080  | 1000 | 2000 | 0,60 | 707-001    | R 0,75 | T 1,5           | 23 % | 7,5  |  |  |  |  |  |  |
| SSE0100  | 1000 | 2000 | 0,50 | R1T2       | R 1,0  | T 2,0           | 23   | 5,7  |  |  |  |  |  |  |
| SSG0100  | 1000 | 2000 | 0,70 | 710-000    | R 1,0  | T 2,0           | 23 % | 8,7  |  |  |  |  |  |  |
| SSJ0100  | 1000 | 2000 | 1,00 | 710-000    | R 1,0  | T 2,0           | 23 % | 12,4 |  |  |  |  |  |  |
| SSJ0130  | 1000 | 2000 | 1,00 | 712-008    | R 1,25 | T 2,4           | 25 % | 12,1 |  |  |  |  |  |  |
| SSJ0150  | 1000 | 2000 | 1,00 | 715-000    | R 1,5  | T 2,6           | 30 % | 11,2 |  |  |  |  |  |  |
| SSL0170  | 1000 | 2000 | 1,50 | 715-001    | R 1,5  | T 3,0           | 23 % | 18,9 |  |  |  |  |  |  |
| SSJ0220  | 1000 | 2000 | 1,00 | 720-002    | R 2,0  | T 3,0           | 40 % | 9,6  |  |  |  |  |  |  |
| SSE0200  | 1000 | 2000 | 0,50 | 720-000    | R 2,0  | T 3,5           | 30 % | 5,5  |  |  |  |  |  |  |
| SSJ0200  | 1000 | 2000 | 1,00 | 720-000    | R 2,0  | T 3,5           | 30 % | 11,3 |  |  |  |  |  |  |
| SSL0200  | 1000 | 2000 | 1,50 | 720-000    | R 2,0  | T 3,5           | 30 % | 17,0 |  |  |  |  |  |  |
| SSP0210  | 1000 | 2000 | 2,00 | 720-001    | R 2,0  | T 4,0           | 23 % | 25,1 |  |  |  |  |  |  |
| SSL0260  | 1000 | 2000 | 1,50 | 725-000    | R 2,5  | T 4,5           | 28 % | 17,2 |  |  |  |  |  |  |
| SSG0300  | 1000 | 2000 | 0,70 | 730-000    | R 3,0  | T 5,0           | 33 % | 7,5  |  |  |  |  |  |  |
| SSH0300  | 1000 | 2000 | 0,80 | 730-000    | R 3,0  | T 5,0           | 33 % | 8,6  |  |  |  |  |  |  |
| SSJ0300  | 1000 | 2000 | 1,00 | 730-000    | R 3,0  | T 5,0           | 33 % | 10,9 |  |  |  |  |  |  |
| SSJ0301  | 1250 | 2500 | 1,00 | 730-000    | R 3,0  | T 5,0           | 33 % | 17,0 |  |  |  |  |  |  |
| SSL0300  | 1000 | 2000 | 1,50 | 730-000    | R 3,0  | T 5,0           | 33 % | 16,3 |  |  |  |  |  |  |
| SSL0301  | 1250 | 2500 | 1,50 | 730-000    | R 3,0  | T 5,0           | 33 % | 25,4 |  |  |  |  |  |  |
| SSP0300  | 1000 | 2000 | 2,00 | 730-000    | R 3,0  | T 5,0           | 33 % | 21,7 |  |  |  |  |  |  |
| SSP0301  | 1250 | 2500 | 2,00 | 730-000    | R 3,0  | T 5,0           | 33 % | 33,7 |  |  |  |  |  |  |
| SSR0300  | 1000 | 2000 | 3,00 | 730-000    | R 3,0  | T 5,0           | 33 % | 33,2 |  |  |  |  |  |  |
| SSJ0400  | 1000 | 2000 | 1,00 | 740-000    | R 4,0  | T 5,6           | 46 % | 8,7  |  |  |  |  |  |  |
| SSP0400  | 1000 | 2000 | 2,00 | 740-000    | R 4,0  | T 5,6           | 46 % | 17,3 |  |  |  |  |  |  |
| SSJ0410  | 1000 | 2000 | 1,00 | 740-020    | R 4,0  | T 6,0           | 40 % | 9,5  |  |  |  |  |  |  |
| SSL0410  | 1000 | 2000 | 1,50 | 740-020    | R 4,0  | T 6,0           | 40 % | 14,5 |  |  |  |  |  |  |
| SSP0410  | 1000 | 2000 | 2,00 | 740-020    | R 4,0  | T 6,0           | 40 % | 19,1 |  |  |  |  |  |  |
| SSJ0550  | 1000 | 2000 | 1,00 | 750-013    | R 5,0  | T 7,0           | 46 % | 8,6  |  |  |  |  |  |  |
| SSL0550  | 1000 | 2000 | 1,50 | 750-013    | R 5,0  | T 7,0           | 46 % | 12,9 |  |  |  |  |  |  |
| SSJ0510  | 1000 | 2000 | 1,00 | 750-000    | R 5,0  | T 7,5           | 40 % | 9,0  |  |  |  |  |  |  |
| SSL0510  | 1000 | 2000 | 1,50 | 750-000    | R 5,0  | T 7,5           | 40 % | 14,5 |  |  |  |  |  |  |
| SSJ0520  | 1000 | 2000 | 1,00 | 750-002    | R 5,0  | T 8,0           | 35 % | 10,4 |  |  |  |  |  |  |
| SSJ0521  | 1250 | 2500 | 1,00 | 750-002    | R 5,0  | T 8,0           | 35 % | 16,1 |  |  |  |  |  |  |
| SSL0520  | 1000 | 2000 | 1,50 | 750-002    | R 5,0  | T 8,0           | 35 % | 15,5 |  |  |  |  |  |  |
| SSL0521  | 1250 | 2500 | 1,50 | 750-002    | R 5,0  | T 8,0           | 35 % | 24,2 |  |  |  |  |  |  |
| SSP0520  | 1000 | 2000 | 2,00 | 750-002    | R 5,0  | T 8,0           | 35 % | 20,8 |  |  |  |  |  |  |
| SSP0521  | 1250 | 2500 | 2,00 | 750-002    | R 5,0  | T 8,0           | 35 % | 32,3 |  |  |  |  |  |  |
| SSR0520  | 1000 | 2000 | 3,00 | 750-002    | R 5,0  | T 8,0           | 35 % | 31,2 |  |  |  |  |  |  |
| SSU0520  | 1000 | 2000 | 5,00 | 750-002    | R 5,0  | T 8,0           | 35 % | 52,0 |  |  |  |  |  |  |
| SSJ0600  | 1000 | 2000 | 1,00 | 760-000    | R 6,0  | T 8,0           | 51 % | 8,0  |  |  |  |  |  |  |
| SSL0600  | 1000 | 2000 | 1,50 | 760-000    | R 6,0  | T 8,0           | 51 % | 12,1 |  |  |  |  |  |  |
| SSJ0610  | 1000 | 2000 | 1,00 | 760-020    | R 6,0  | T 9,0           | 40 % | 9,6  |  |  |  |  |  |  |
| SSL0610  | 1000 | 2000 | 1,50 | 760-020    | R 6,0  | T 9,0           | 40 % | 14,3 |  |  |  |  |  |  |
| SSL0612  | 1500 | 3000 | 1,50 | 760-020    | R 6,0  | T 9,0           | 40 % | 32,0 |  |  |  |  |  |  |
| SSJ0800  | 1000 | 2000 | 1,00 | 780-000    | R 8,0  | T 10,0          | 58 % | 6,9  |  |  |  |  |  |  |
| SSL0800  | 1000 | 2000 | 1,50 | 780-000    | R 8,0  | T 10,0          | 58 % | 10,4 |  |  |  |  |  |  |
| SSP0800  | 1000 | 2000 | 2,00 | 780-000    | R 8,0  | T 10,0          | 58 % | 13,4 |  |  |  |  |  |  |
| SSJ0810  | 1000 | 2000 | 1,00 | 780-020    | R 8,0  | T 11,0          | 48 % | 8,3  |  |  |  |  |  |  |
| SSL0810  | 1000 | 2000 | 1,50 | 780-020    | R 8,0  | T 11,0          | 48 % | 12,5 |  |  |  |  |  |  |
| SSP0810  | 1000 | 2000 | 2,00 | 780-020    | R 8,0  | T 11,0          | 48 % | 17,1 |  |  |  |  |  |  |
| SSJ0820  | 1000 | 2000 | 1,00 | 780-001    | R 8,0  | T 12,0          | 40 % | 9,6  |  |  |  |  |  |  |
| SSL0820  | 1000 | 2000 | 1,50 | 780-001    | R 8,0  | T 12,0          | 40 % | 14,3 |  |  |  |  |  |  |
| SSP0820  | 1000 | 2000 | 2,00 | 780-001    | R 8,0  | T 12,0          | 40 % | 19,1 |  |  |  |  |  |  |
| SSR0820  | 1000 | 2000 | 3,00 | 780-001    | R 8,0  | T 12,0          | 40 % | 28,7 |  |  |  |  |  |  |
| SSJ1000  | 1000 | 2000 | 1,00 | 810-000    | R 10,0 | T 12,7          | 56 % | 7,0  |  |  |  |  |  |  |
| SSL1000  | 1000 | 2000 | 1,50 | 810-000    | R 10,0 | T 12,7          | 56 % | 10,7 |  |  |  |  |  |  |
| SSP1000  | 1000 | 2000 | 2,00 | 810-000    | R 10,0 | T 12,7          | 56 % | 14,3 |  |  |  |  |  |  |
| SSJ1020  | 1000 | 2000 | 1,00 | 810-044    | R 10,0 | T 14,0          | 46 % | 8,6  |  |  |  |  |  |  |
| SSP1020  | 1000 | 2000 | 2,00 | 810-044    | R 10,0 | T 14,0          | 46 % | 17,2 |  |  |  |  |  |  |
| SSJ1030  | 1000 | 2000 | 1,00 | 810-003    | R 10,0 | T 15,0          | 40 % | 9,6  |  |  |  |  |  |  |
| SSJ1031  | 1250 | 2500 | 1,00 | 810-003    | R 10,0 | T 15,0          | 40 % | 14,9 |  |  |  |  |  |  |
| SSL1030  | 1000 | 2000 | 1,50 | 810-003    | R 10,0 | T 15,0          | 40 % | 14,6 |  |  |  |  |  |  |
| SSL1031  | 1250 | 2500 | 1,50 | 810-003    | R 10,0 | T 15,0          | 40 % | 22,4 |  |  |  |  |  |  |
| SSP1030  | 1000 | 2000 | 2,00 | 810-003    | R 10,0 | T 15,0          | 40 % | 19,0 |  |  |  |  |  |  |
| SSP1031  | 1250 | 2500 | 2,00 | 810-003    | R 10,0 | T 15,0          | 40 % | 29,8 |  |  |  |  |  |  |
| SSR1030  | 1000 | 2000 | 3,00 | 810-003    | R 10,0 | T 15,0          | 40 % | 28,8 |  |  |  |  |  |  |
| SST1030  | 1000 | 2000 | 4,00 | 810-003    | R 10,0 | T 15,0          | 40 % | 38,4 |  |  |  |  |  |  |
| SSP1210  | 1000 | 2000 | 2,00 | 812-000    | R 12,0 | T 16,0          | 51 % | 15,7 |  |  |  |  |  |  |
| SSP0600  | 1000 | 2000 | 2,00 | R6T8       |        |                 | 51   | 4,9  |  |  |  |  |  |  |

|  |      |      |      |          |               |                 |      |      |
|--|------|------|------|----------|---------------|-----------------|------|------|
| <b>SSL2000</b>   | 1000 | 2000 | 1,50 | R20T27   |               |                 | 50   | 6,6  |
| <b>Ruostumaton teräs EN1.4301 - neliö- ja liukuesterei'itykset</b> |      |      |      |          |               |                 |      |      |
| <b>SSJ9100</b>   | 1000 | 2000 | 1,00 | 1101-006 | LR 1,0 x 10,0 | Z 7,0 x 14,0    | 20 % | 13,0 |
| <b>SSJ3050</b>   | 1000 | 2000 | 1,00 | 405-000  | C 5,0         | U 7,5 x 7,5     | 44 % | 9,0  |
| <b>SSJ3520</b>   | 1000 | 2000 | 1,00 | 405-012  | C 5,0         | U 8,0 x 8,0     | 39 % | 9,8  |
| <b>SSL3520</b>   | 1000 | 2000 | 1,50 | 405-012  | C 5,0         | U 8,0 x 8,0     | 39 % | 14,6 |
| <b>SSP3520</b>   | 1000 | 2000 | 2,00 | 405-012  | C 5,0         | U 8,0 x 8,0     | 39 % | 19,5 |
| <b>SSJ3080</b>   | 1000 | 2000 | 1,00 | 408-005  | C 8,0         | U 10,0 x 10,0   | 64 % | 5,8  |
| <b>SSJ3280</b>   | 1000 | 2000 | 1,00 | 408-004  | C 8,0         | U 12,0 x 12,0   | 44 % | 8,9  |
| <b>SSL3280</b>   | 1000 | 2000 | 1,50 | 408-004  | C 8,0         | U 12,0 x 12,0   | 44 % | 13,3 |
| <b>SSP3280</b>   | 1000 | 2000 | 2,00 | 408-004  | C 8,0         | U 12,0 x 12,0   | 44 % | 17,8 |
| <b>SSJ3190</b>   | 1000 | 2000 | 1,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 8,1  |
| <b>SSL3190</b>   | 1000 | 2000 | 1,50 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 11,8 |
| <b>SSP3190</b>   | 1000 | 2000 | 2,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 16,2 |
| <b>SSR3190</b>   | 1000 | 2000 | 3,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 25,1 |
| <b>SSJ3100</b>   | 1000 | 2000 | 1,00 | 410-002  | C 10,0        | U 12,0 x 12,0   | 69 % | 5,1  |
| <b>SSL3100</b>   | 1000 | 2000 | 1,50 | 410-002  | C 10,0        | U 12,0 x 12,0   | 69 % | 7,3  |
| <b>SSJ3110</b>   | 1000 | 2000 | 1,00 | 410-000  | C 10,0        | U 14,0 x 14,0   | 51 % | 7,8  |
| <b>SSL3110</b>   | 1000 | 2000 | 1,50 | 410-000  | C 10,0        | U 14,0 x 14,0   | 51 % | 11,8 |
| <b>SSP3110</b>   | 1000 | 2000 | 2,00 | 410-000  | C 10,0        | U 14,0 x 14,0   | 51 % | 15,7 |
| <b>SSJ3130</b>   | 1000 | 2000 | 1,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 8,9  |
| <b>SSL3130</b>   | 1000 | 2000 | 1,50 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 13,3 |
| <b>SSP3130</b>   | 1000 | 2000 | 2,00 | 410-005  | C 10,0        | U 15,0 x 15,0   | 44 % | 17,8 |
| <b>SSL42090</b>  | 1000 | 2000 | 1,50 | 4209-000 | R 7,3 / R 5,0 | M 17,68         | 20 % | 16,7 |

#### Haponkestävä teräs EN 1.4404 - pyöreät, neliö ja rakolevyt

|                |      |      |      |          |               |                 |      |      |
|----------------|------|------|------|----------|---------------|-----------------|------|------|
| <b>SXJ0100</b> | 1000 | 2000 | 1,00 | 710-000  | R 1,0         | T 2,0           | 23 % | 12,4 |
| <b>SXJ0200</b> | 1000 | 2000 | 1,00 | 720-000  | R 2,0         | T 3,5           | 30 % | 11,3 |
| <b>SXJ0300</b> | 1000 | 2000 | 1,00 | 730-000  | R 3,0         | T 5,0           | 33 % | 10,9 |
| <b>SXJ0301</b> | 1250 | 2500 | 1,00 | 730-000  | R 3,0         | T 5,0           | 33 % | 17,0 |
| <b>SXL0300</b> | 1000 | 2000 | 1,50 | 730-000  | R 3,0         | T 5,0           | 33 % | 16,1 |
| <b>SXP0300</b> | 1000 | 2000 | 2,00 | 730-000  | R 3,0         | T 5,0           | 33 % | 21,4 |
| <b>SXG0300</b> | 1000 | 2000 | 0,70 | R3T5     | R 3,0         | T 5,0           | 33 % | 18,3 |
| <b>SXJ0511</b> | 1250 | 2500 | 1,00 | 750-000  | R 5,0         | T 7,5           | 40 % | 15,0 |
| <b>SXJ0520</b> | 1000 | 2000 | 1,00 | 750-002  | R 5,0         | T 8,0           | 35 % | 10,4 |
| <b>SXL0520</b> | 1000 | 2000 | 1,50 | 750-002  | R 5,0         | T 8,0           | 35 % | 15,6 |
| <b>SXP0610</b> | 1000 | 2000 | 2,00 | 760-020  | R 6,0         | T 9,0           | 40 % | 19,5 |
| <b>SXL0800</b> | 1000 | 2000 | 1,50 | 780-000  | R 8,0         | T 10,0          | 58 % | 10,4 |
| <b>SXR1030</b> | 1000 | 2000 | 3,00 | 810-003  | R 10,0        | T 15,0          | 40 % | 29,7 |
| <b>SXL9200</b> | 1000 | 2000 | 1,50 | 1205-006 | LR 2,0 x 20,0 | Z 8,88 x 24,0   | 37 % | 15,2 |
| <b>SXJ3190</b> | 1000 | 2000 | 1,00 | 409-013  | C 9,5         | U 13,33 x 13,33 | 51 % | 7,8  |

#### Expande Metal - Steel

|                    |      |       |      |              |                                    |  |    |      |
|--------------------|------|-------|------|--------------|------------------------------------|--|----|------|
| <b>WHL132832</b>   | 1500 | 2000  | 1,50 | LT28X13X3    | DD11 Pickled&Oiled                 |  | 54 | 18,3 |
| <b>WHP306220</b>   | 1500 | 2000  | 2,00 | LT62X30X2    | DD11 Pickled&Oiled                 |  | 87 | 6,1  |
| <b>WHP306230</b>   | 1500 | 2000  | 2,00 | LT62X30X3    | DD11 Pickled&Oiled                 |  | 80 | 9,6  |
| <b>WHP404320</b>   | 1500 | 2000  | 2,00 | LT43X20X2.5  | DD11 Pickled&Oiled                 |  | 75 | 12,0 |
| <b>WHP4213200</b>  | 1000 | 2000  | 2,00 | LT42X13X2    | DD11 Pickled&Oiled                 |  | 69 | 9,4  |
| <b>WHP5226300</b>  | 1000 | 2000  | 2,00 | LT52X26X3    | DD11 Pickled&Oiled                 |  | 77 | 7,0  |
| <b>WHR306230</b>   | 1500 | 2000  | 3,00 | LT62X30X3    | Other e.g. DD13, DD14,S275 pickled |  | 80 | 13,7 |
| <b>WHR306240</b>   | 1500 | 2000  | 3,00 | LT62X30X4    | Other e.g. DD13, DD14,S275 pickled |  | 73 | 18,3 |
| <b>WHR306260</b>   | 1500 | 2000  | 3,00 | LT62X30X6    | Other e.g. DD13, DD14,S275 pickled |  | 60 | 27,0 |
| <b>WHR5511530</b>  | 1500 | 2000  | 3,00 | LT115X55X3   | Other e.g. DD13, DD14,S275 pickled |  | 89 | 7,5  |
| <b>WHR6223700</b>  | 1000 | 2000  | 3,00 | LT62X23X7    | DD11 Pickled&Oiled                 |  | 39 | 27,8 |
| <b>WHT206261</b>   | 1250 | 2500  | 4,00 | LT62X20X6    | DD11 Pickled&Oiled                 |  | 40 | 57,1 |
| <b>WHT4011561</b>  | 1250 | 2500  | 4,00 | LT115X40X6   | DD11 Pickled&Oiled                 |  | 70 | 28,5 |
| <b>WMG173514</b>   | 1000 | 10000 | 0,80 | LT35X17X1.9  | Mild Steel, DC01                   |  | 78 | 13,6 |
| <b>WMGE3517190</b> | 1000 | 2000  | 0,75 | LT35X17X1.9  | Mild Steel, DC01                   |  | 78 | 2,6  |
| <b>WMJ062720</b>   | 1000 | 3000  | 1,00 | LT27X6X2     | Mild Steel, DC01                   |  | 33 | 15,2 |
| <b>WMJ100511</b>   | 1000 | 2000  | 1,00 | LT10X5X1     | Mild steel, DC04                   |  | 60 | 6,4  |
| <b>WMJ105200</b>   | 1000 | 2000  | 1,00 | LT10X5X2     | Mild Steel, DC01                   |  | 20 | 12,2 |
| <b>WMJ160711</b>   | 1000 | 2000  | 1,00 | LT16X7X1     | Mild steel, DC04                   |  | 71 | 4,4  |
| <b>WMJ160721</b>   | 1000 | 2000  | 1,00 | LT16X7X2     | Mild Steel, DC01                   |  | 43 | 9,1  |
| <b>WMJ201000</b>   | 1000 | 2000  | 1,00 | LT20X10X1.5  | Mild Steel, DC01                   |  | 70 | 4,6  |
| <b>WML082721</b>   | 1250 | 2500  | 1,50 | LT27X8X2     | Mild Steel, DC01                   |  | 50 | 17,8 |
| <b>WML132820</b>   | 1500 | 2000  | 1,50 | LT28X13X2    | Other e.g. DD13, DD14,S275 pickled |  | 69 | 10,5 |
| <b>WML134221</b>   | 1250 | 2500  | 2,00 | LT42X13X2    | DD11 Pickled&Oiled                 |  | 69 | 14,6 |
| <b>WML162010</b>   | 1000 | 2000  | 1,50 | LTQ20X16X1.5 | Mild steel, DC04                   |  | 81 | 4,3  |
| <b>WML204320</b>   | 1500 | 2000  | 1,50 | LT43X20X2.5  | DD11 Pickled&Oiled                 |  | 75 | 8,6  |
| <b>WML206221</b>   | 1250 | 2500  | 2,00 | LT62X20X2    | DD11 Pickled&Oiled                 |  | 80 | 9,5  |
| <b>WMP162021</b>   | 1250 | 2500  | 2,00 | LTQ20X16X2   | Mild steel, DC04                   |  | 75 | 12,5 |
| <b>WMP281250</b>   | 1000 | 2000  | 2,00 | LT28X10X3    | Mild Steel, DC01                   |  | 40 | 18,3 |
| <b>WMP421300</b>   | 1000 | 2000  | 2,00 | LT42X13X3    | Mild Steel, DC01                   |  | 54 | 14,1 |
| <b>WMP622100</b>   | 1000 | 2000  | 2,00 | LT62X21X2.5  | Mild Steel, DC01                   |  | 76 | 7,3  |
| <b>WMQ123040</b>   | 1000 | 2500  | 2,50 | LT30X12X4.5  | DD11 Pickled&Oiled                 |  | 25 | 35,7 |
| <b>WMQ123041</b>   | 1250 | 3300  | 2,50 | LT30X12X4.5  | Type 240 pickled                   |  | 25 | 58,9 |
| <b>WMQ123042</b>   | 1500 | 4000  | 2,50 | LT30X12X4.5  | Type 240 pickled                   |  | 25 | 85,7 |
| <b>WMQ134240</b>   | 1000 | 3000  | 2,50 | LT42X13X4.5  | DD11 Pickled&Oiled                 |  | 31 | 39,5 |
| <b>WMQ134243</b>   | 1250 | 3800  | 2,50 | LT42X13X4.5  | Type 240 pickled                   |  | 31 | 62,6 |

|                                 |      |      |      |             |                                       |  |    |      |  |  |  |  |  |  |  |
|---------------------------------|------|------|------|-------------|---------------------------------------|--|----|------|--|--|--|--|--|--|--|
| <b>WMQ1428040</b>               | 1000 | 2500 | 2,50 | LT28X14X4.5 | Mild Steel, DC01                      |  | 36 | 30,6 |  |  |  |  |  |  |  |
| <b>WMQ1428041</b>               | 1250 | 3300 | 2,50 | LT28X14X4.5 | Mild Steel, DC01                      |  | 36 | 50,5 |  |  |  |  |  |  |  |
| <b>WMQ1428042</b>               | 1500 | 4000 | 2,50 | LT28X14X4.5 | Mild Steel, DC01                      |  | 36 | 73,4 |  |  |  |  |  |  |  |
| <b>WMR206231</b>                | 1250 | 2500 | 3,00 | LT62X20X3   | Type 240 pickled                      |  | 70 | 21,4 |  |  |  |  |  |  |  |
| <b>WMR206241</b>                | 1250 | 2500 | 3,00 | LT62X20X4.5 | Type 240 pickled                      |  | 55 | 32,0 |  |  |  |  |  |  |  |
| <b>WMR206261</b>                | 1250 | 2500 | 3,00 | LT62X20X6   | DD11 Pickled&Oiled                    |  | 40 | 42,8 |  |  |  |  |  |  |  |
| <b>WMR308831</b>                | 1250 | 2500 | 3,00 | LT88X30X3   | Type 240 pickled                      |  | 80 | 14,3 |  |  |  |  |  |  |  |
| <b>WMR308861</b>                | 1250 | 2500 | 3,00 | LT88X30X6   | DD11 Pickled&Oiled                    |  | 60 | 28,6 |  |  |  |  |  |  |  |
| <b>Expanded Metal Pre-Galv.</b> |      |      |      |             |                                       |  |    |      |  |  |  |  |  |  |  |
| <b>WGJ105200</b>                | 1000 | 2000 | 1,00 | LT10X5X2    | Pre-galv DX51D+Z other layer of zinc  |  | 20 | 12,2 |  |  |  |  |  |  |  |
| <b>WGP206221</b>                | 1250 | 2500 | 2,00 | LT62X20X2   | Pre-galv DX51D+Z other layer of zinc  |  | 80 | 9,5  |  |  |  |  |  |  |  |
| <b>WGP2810300</b>               | 1000 | 2000 | 2,00 | LT28X10X3   | Pre-galv DX51D+Z other layer of zinc  |  | 40 | 18,0 |  |  |  |  |  |  |  |
| <b>WGP4213200</b>               | 1000 | 2000 | 2,00 | LT42X13X2   | Pre-galv DX51D+Z other layer of zinc  |  | 69 | 9,4  |  |  |  |  |  |  |  |
| <b>WGP522501</b>                | 1250 | 2500 | 2,00 | LT52X25X3   | Pre-galv DX51D+Z other layer of zinc  |  | 76 | 11,4 |  |  |  |  |  |  |  |
| <b>Expanded Metal Stainless</b> |      |      |      |             |                                       |  |    |      |  |  |  |  |  |  |  |
| <b>WSP2810300</b>               | 1000 | 2000 | 2,00 | LT28X10X3   | Stainless, EN 1.4301 Cold rolled      |  | 40 | 18,0 |  |  |  |  |  |  |  |
| <b>WSP2810300</b>               | 1000 | 2000 | 2,00 | LT28X10X3   | Stainless, EN 1.4301 Cold rolled      |  | 40 | 18,0 |  |  |  |  |  |  |  |
| <b>WSP4213200</b>               | 1000 | 2000 | 2,00 | LT42X13X2   | Stainless, EN 1.4301 Cold rolled      |  | 69 | 9,4  |  |  |  |  |  |  |  |
| <b>WSR6223700</b>               | 1000 | 2000 | 3,00 | LT62X23X7   | Stainless, EN 1.4301 Cold rolled      |  | 39 | 27,8 |  |  |  |  |  |  |  |
| <b>WXG3517190</b>               | 1000 | 2000 | 0,70 | LT35X17X1.9 | EN1.4404-1.4435-1.4432 (316L cold ro  |  | 78 | 2,4  |  |  |  |  |  |  |  |
| <b>WXJ062720</b>                | 1000 | 2000 | 1,00 | LT27X6X2    | EN1.4404-1.4435-1.4432 (316L cold ro  |  | 33 | 10,2 |  |  |  |  |  |  |  |
| <b>WXP206221</b>                | 1250 | 2500 | 2,00 | LT62X20X2   | EN1.4401-1.4436 (316 cold/warm roll.) |  | 80 | 9,5  |  |  |  |  |  |  |  |
| <b>Expanded Metal Aluminium</b> |      |      |      |             |                                       |  |    |      |  |  |  |  |  |  |  |
| <b>WAE105100</b>                | 1000 | 2000 | 0,50 | LT10X5X1    | Aluminium, EN 1050                    |  | 60 | 1,0  |  |  |  |  |  |  |  |
| <b>WAJ105100</b>                | 1000 | 2000 | 0,80 | LT10X5X2    | Aluminium, EN 1050                    |  | 20 | 3,3  |  |  |  |  |  |  |  |
| <b>WAJ2010150</b>               | 1000 | 2000 | 1,00 | LT20X10X1.5 | Aluminium, EN 1050                    |  | 70 | 1,5  |  |  |  |  |  |  |  |
| <b>WAP206221</b>                | 1250 | 2500 | 2,00 | LT62X20X2   | Aluminium, EN 1050                    |  | 80 | 3,2  |  |  |  |  |  |  |  |
| <b>WAP4213200</b>               | 1000 | 2000 | 2,00 | LT42X13X2   | Aluminium, EN 1050                    |  | 69 | 3,2  |  |  |  |  |  |  |  |